REPORT DOCUMENTATION PAGE

Form Approved OMB No 0704-0188

Public reporting burden for this collection of information is estimated to average. I hour per response including the time for reviewing instructions, searching existing data sources pathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of the ollection of information, including suggestions for reducing this burden. 10. Washington Headquarters Services, Directorate for information Operations and Reports. 1215 Jeffersul Davis Highway, Swite 1204. Arlington, VA. 22202-4302, and to the Office of Management and Budget. Paperwork Reduction Project (0/04-0188), Washington, DC 20503.

I. AGENCY USE ONLY (Leave blank)

2. REPORT DATE May 5, 1994 3. REPORT TYPE AND DATES COVERED

Final; 8/1/93 to 10/31/93

I. TITLE AND SUBTITLE

Studies of Light Scattering at an Angle of Zero Degrees

5. FUNDING NUMBERS

. AUTHOR(S)

Edward S. Fry

DAAHO4-93-6-0408

. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)

Physics Department, Texas A&M University Texas A&M Research Foundation

Box 3578

College Station, Texas 77843 8. PERFORMING ORGANIZATION REPORT NUMBER

9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(

U.S. Army Research Office

P.O. Box 12211

Research Triangle Park, NC 27709-2211 PONSORING / MONITORING GENCY REPORT NUMBER

ARO 32297.1-GS

11. SUPPLEMENTARY NOTES

The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy, or decision, unless so designated by other documentation.

12a. DISTRIBUTION / AVAILABILITY STATEMENT

12b. DISTRIBUTION CODE

Approved for public release; distribution unlimited.

13. ABSTRACT (Maximum 200 words)

Using a new technique based on the fanning of a coherent light beam in a photorefractive BaTiO3 crystal, the angular distribution of forward light scattering by quartz fibers of radii from 15 µm to 30 µm has been measured. Data have been obtained over the angular range 0.0° to 0.3°, and are in good agreement with theory. Beam fanning and two beam coupling techniques have been compared for this application.

> 94-21115

Dillo

14. SUBJECT TERMS

Barium Titanate; light scattering; quartz fibers; photo-refraction

16. PRICE CODE

15. NUMBER OF PAGES

SECURITY CLASSIFICATION OF REPORT

SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED

SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED

20. LIMITATION OF ABSTRACT

NSN 7540-01-280-5500

UNCLASSIFIED

Standard Form 298 (Rev 2-89) Prescribed by ANSI Std 739-18 298-102

Light Scattering Studies at an Angle of Zero Degrees

FINAL REPORT

Period Covered by Report: 3 Months: August 1, 1993 to October 31, 1993

Edward S. Fry

Physics Department Texas A&M University May 5, 1994 Accesion For

NTIS CRA&J
DTIC TAB
Unannounced
Justification

By
Dist.ibution |

Availability Codes

Dist Special

A-1

U. S. Army Research Office ARO Proposal Number: 32297-GS

ARO Grant Number: DAAH04-93-G-0408

APPROVED FOR PUBLIC RELEASE;

DISTRIBUTION UNLIMITED.

A. STATEMENT OF THE PROBLEM STUDIED

An innovative idea that permits light scattering measurements at an angle of zero degrees has been demonstrated by our group. The idea is based on the use of coherent beam coupling in a nonlinear, photorefractive crystal of BaTiO₃ to separate the scattered light from the unscattered direct beam. The present problem is to extend these ideas to angular distribution measurements and to compare the techniques of beam fanning and two beam coupling.

B. SUMMARY OF THE MOST IMPORTANT RESULTS

The angular distribution of forward light scattering from quartz fibers of radii from 15 μm to 30 μm was successfully measured. Data have been obtained at a wavelength of 514 nm in the angular range of 0° to 0.3° with an angular resolution of better than 0.005°; this is the first time such measurements have been possible in this important angular region. The results are in good agreement with theory and have been submitted for publication. For complete details see publications 3 and 4 below.

As for the comparison between beam fanning and two beam coupling, the beam fanning geometry has the advantage that it is relatively insensitive to noise and vibrations, but has the disadvantage of systematic effects due to Bragg scattering. These aspects would be reversed for two beam coupling in which the scattering particle is in only one of the two beams incident on the crystal. The effects of Bragg scattering in the two cases can be understood as follows:

In beam fanning a scattering particle shifts the phase of the 0° scattered light. Given sufficient time this scattered light would undergo beam fanning in the crystal and set up a grating that deflects it. However, this new grating would be completely set up by light that only differs in phase from the unscattered beam. Consequently, this new grating will be identical to the grating already produced by the unscattered beam; Bragg scattering will therefore immediately deflect the beam produced by scattering at 0°.

On the other hand, with two beam coupling the light scattered at 0° is in only one of the beams. Again, given sufficient time, this scattered light will interfere with light from the second beam and would produce a new grating that deflects it. However, this new grating will be quite different from the original grating set up by the two unscattered beams, because for the new grating only one of the interfering beams has a phase shift in it. Thus the light scattered at 0° will not Bragg scatter off the original grating; it will pass through the crystal undeflected until its grating can be set up. Consequently, a two beam coupling scheme could significantly improve these 0° scattering measurements.

C. LIST OF ALL PUBLICATIONS AND TECHNICAL REPORTS

- Choonghoon Oh, Kelly T. Andrews, Edward S. Fry, G. J. Dunning, M. L. Minden, and D. M. Pepper, "Scattering of Phase Conjugated Light by a Stationary Particle", submitted to the proceedings of the 1993 Edgewood RDEC Scientific Conference on Obscuration and Aerosol Research, Sept, 1993.
- 2. Choonghoon Oh, G. G. Padmabandu, and Edward S. Fry, "Angular Distribution of the Forward Light Scattering From a Quartz Fiber", submitted to the proceedings of the 1993 Edgewood RDEC Scientific Conference on Obscuration and Aerosol Research, Sept, 1993.
- 3. Choonghoon Oh, G. G. Padmabandu, and Edward S. Fry, "Angular Distribution of Forward Light Scattering by a Quartz Fiber", submitted to Applied Optics, May 5, 1994.
- 4. Choonghoon Oh, "Measurement of Forward Light Scattering Using a Barium Titanate Crystal as a Novelty Filter", PhD. Thesis, Texas A&M University, August, 1993.

D. LIST OF ALL PRESENTATIONS

- 1. Edward S. Fry, G. G. Padmabandu, and Choonghoon Oh, "Angular Distribution of Electromagnetic Scattering Near Zero Degrees," Presented at the 1993 ERDEC Scientific Conference on Obscuration and Aerosol Research, Aberdeen Proving Ground, MD, June, 1993.
- 2. Choonghoon Oh, Kelly T. Andrews, Edward S. Fry, G. J. Dunning. M. L. Minden, and D. M. Pepper, "Scattering of Phase Conjugated Light by a Stationary Particle", Presented at the Annual Meeting of the Optical Society of America, Toronto, Canada, October 3-8, 1993.
- 3. G. J. Dunning, M. L. Minden, D. M. Pepper, Choonghoon Oh, Kelly T. Andrews, and Edward S. Fry, "On the Propagation of Phase-Conjugate Fields Through Dynamically Scattering Media", Presented at the Annual Meeting of the Optical Society of America, Toronto, Canada, October 3-8, 1993.

E. LIST OF ALL PARTICIPATING SCIENTIFIC PERSONNEL SHOWING ANY ADVANCED DEGREES EARNED BY THEM WHILE EMPLOYED ON THE PROJECT

Edward S. Fry

G. G. Padmabandu

Choonghoon Oh received his PhD.

F. REPORT OF INVENTIONS

None

THE VIEWS, OPINIONS, AND/OR FINDINGS CONTAINED IN THIS REPORT ARE THOSE OF THE AUTHOR AND SHOULD NOT BE CONSTRUED AS AN OFFICIAL DEPARTMENT OF THE ARMY POSITION, POLICY, OR DECISION, UNLESS SO DESIGNATED BY OTHER DOCUMENTATION.